

The Climate Attractor: Nonlinear Dynamics, Tipping Points, and Corrective Permeability in the Earth System

Robert Galida

Independent Researcher

<https://fantasyattractor.com>

Abstract

The Earth's climate is a dissipative attractor—a far-from-equilibrium system maintained by a continuous flow of solar energy and entropy export. For 10,000 years, the Holocene basin remained stable due to a network of negative feedbacks that conferred high corrective permeability on the climate system. Since the Industrial Revolution, a sustained, rapid perturbation in atmospheric greenhouse gas concentrations has saturated several of those feedbacks and begun activating positive feedback loops that push the system toward basin transitions. This paper applies the attractor framework to the climate crisis, arguing that linear assumptions about gradual, reversible warming constitute a fantasy attractor, and that tipping points are best understood as ridges between alternative attractor basins. The framework also diagnoses three common social attractors—denial, doom, and techno-utopianism—as low corrective permeability belief systems that reduce the urgency to act. The paper concludes that the principle of corrective permeability (κ) must be

institutionalized in climate policy and individual cognition alike, and that physical systems update whether human belief systems do or not.

1. Introduction: The Earth as a Dissipative Attractor

The Earth is not a closed system in thermodynamic equilibrium. It is an open, dissipative system maintained far from equilibrium by a continuous influx of solar radiation and the radiative export of entropy to space. Its climate—the long-term statistical pattern of temperature, precipitation, wind, and ocean circulation—is an emergent attractor: a persistent, self-regulating dynamical state.

For approximately 10,000 years, the Earth's climate has occupied a relatively narrow basin known as the Holocene. Within this basin, human civilization emerged and developed agriculture, cities, trade networks, and complex societies. The basin's apparent permanence encouraged a cognitive error that now carries severe consequences: we mistook the walls of the basin for the horizon.

The attractor framework (Galida, 2026) defines reality operationally as *persistence under perturbation*. A stable attractor absorbs perturbations and returns to its basin; an unstable one, when pushed beyond a critical threshold, undergoes a phase transition into a different basin with different structural properties. This paper applies that framework to the climate system, with three objectives:

1. To characterize the Holocene basin's stabilizing feedbacks and the perturbation now overwhelming them.
2. To reframe climate tipping points as ridges between

alternative attractor basins, emphasizing the role of perturbation rate relative to system recovery time.

3. To diagnose the social dynamics of the climate debate using the same principle of corrective permeability (κ) that describes the physical system.
-

2. The Holocene Basin: Stabilizing Feedbacks and Corrective Permeability

A stable attractor basin does not persist by accident. It persists because negative feedback loops counteract perturbations, pulling the system back toward equilibrium. The Holocene's stability was maintained by a network of such loops.

Ocean heat absorption. The ocean's thermal inertia acts as a buffer: when atmospheric temperatures rise, the ocean absorbs excess heat, slowing surface warming. This negative feedback dampens short-term fluctuations.

Ice-albedo feedback (negative phase). Polar ice sheets reflect incoming solar radiation back to space. When the climate cooled slightly, ice expanded, increasing albedo and reinforcing cooling. When it warmed, the feedback operated in reverse, but on timescales slow enough to avoid runaway warming.

Forest transpiration. Large forest systems, particularly the Amazon and Congo basins, generate their own rainfall through evapotranspiration. This self-sustaining moisture cycle stabilizes regional climates and prevents desertification.

Silicate weathering thermostat. Atmospheric CO_2 dissolves in

rainwater, forming carbonic acid that weathers silicate rocks. The dissolved carbon is transported by rivers to the ocean, where it precipitates as carbonate minerals and is eventually subducted. This negative feedback operates on timescales of hundreds of thousands of years, but it has regulated atmospheric CO₂ across geological epochs.

These feedbacks collectively conferred high *corrective permeability* (κ) on the Holocene climate. When perturbed—by volcanic eruptions, solar variability, or orbital cycles—the system responded with countervailing adjustments. The basin absorbed the perturbation and returned to its attractor. The basin was deep.

3. The Perturbation: Magnitude, Rate, and the Saturation of Corrective Capacity

Since the Industrial Revolution, the human enterprise has introduced a sustained, massive perturbation into the climate system through the combustion of fossil fuels, industrial agriculture, and land-use change. Atmospheric CO₂ concentration has risen from approximately 280 parts per million (ppm) to over 420 ppm—a level not seen since the Pliocene, roughly 3 million years ago. Methane and nitrous oxide concentrations have risen sharply as well.

The attractor framework requires that a perturbation be assessed on two dimensions: magnitude and rate. A slow perturbation, even a large one, allows an attractor's corrective mechanisms time to operate. A fast perturbation—one delivered on a timescale shorter than the system's characteristic recovery time—can overwhelm those mechanisms and force a basin exit regardless of absolute magnitude.

The current perturbation is fast by geological standards. The rate of CO₂ increase during the Paleocene-Eocene Thermal Maximum (PETM), a natural warming event approximately 56 million years ago associated with mass extinction, was roughly 0.025 GtC per year. The current rate is estimated at approximately 10 GtC per year—around 400 times faster. The ocean's capacity to absorb heat is approaching saturation. The silicate weathering thermostat operates on timescales two to three orders of magnitude longer than the human perturbation. The system's corrective permeability is being saturated.

The key intellectual error in much public climate discourse is *linear thinking*: the assumption that gradual emissions increases produce gradual, proportional, and reversible temperature increases. This assumption is itself a fantasy attractor. The climate system is nonlinear. It contains tipping points—critical thresholds beyond which the system undergoes a phase transition into a new attractor basin. Once crossed, these transitions are not easily reversed. The perturbation is not merely large. It is arriving at a speed that the system's corrective mechanisms cannot match.

4. Tipping Points as Ridges Between Basins

A tipping point, in attractor terminology, is a ridge between basins. Below the ridge, the negative feedbacks that define the current basin remain dominant. At the ridge, they are precisely balanced by positive feedbacks. Beyond the ridge, positive feedbacks dominate, and the system cascades into a new basin. The transition is not a smooth slope. It is a phase change.

The following tipping elements are currently under scientific

investigation. In each case, the attractor framework identifies the competing feedbacks and the ridge structure. Where scientific uncertainty exists, it is stated explicitly.

4.1 The Greenland Ice Sheet

The Greenland Ice Sheet is stabilized by its own elevation: the surface is high enough to remain cold, and snowfall replenishes mass. As melt accelerates, the surface elevation decreases, exposing the ice to warmer air—a positive feedback. Current research suggests that Greenland may have a critical threshold between approximately 0.8°C and 3°C of warming above pre-industrial levels, with a central estimate near 1.5°C. However, crossing this threshold does not imply imminent, catastrophic collapse on human political timescales. Full loss of the ice sheet would likely unfold over centuries to millennia, though the process may become irreversible once the threshold is crossed. Sea level rise of up to seven meters is the ultimate consequence, but the timescale is millennial. The ridge is uncertain in both position and temporal gradient.

4.2 The Atlantic Meridional Overturning Circulation (AMOC)

The AMOC is a major ocean current system driven by temperature and salinity gradients. It has at least two stable attractor basins: a strong circulation mode (the current state) and a collapsed or substantially weakened mode. Freshwater input from melting Greenland ice reduces surface water density, weakening the sinking motion that drives the circulation. Multiple climate models show a weakening trend under continued warming, but the proximity to a critical threshold remains debated. Observational evidence indicates that the AMOC is currently at its weakest in over a thousand years (Caesar et al., 2021). Some research suggests a collapse could occur within decades once triggered; other models find the circulation more resilient. The scientific community has not

reached consensus on the threshold's location or the likelihood of near-term crossing. The ridge exists; its distance and height are incompletely characterized.

4.3 The Amazon Rainforest

The Amazon generates a substantial fraction of its own rainfall through evapotranspiration. This is a stabilizing feedback that maintains the forest basin. Deforestation and regional drying weaken this feedback. Beyond a critical level of tree loss (estimated by some studies at 20–25% of original cover), the moisture cycle may break down, triggering a transition to a savanna state. This would release stored carbon and permanently alter regional and global climate. Quantitative modeling suggests that tropical forests exhibit hysteresis, meaning that once a critical threshold is crossed, returning to the original forest state requires a much larger reversal of conditions (Staal et al., 2020). However, the precise threshold remains uncertain, and the interaction of deforestation with global warming complicates prediction. The ridge is plausible but not precisely located.

4.4 Permafrost Carbon Feedback

Northern permafrost soils contain approximately 1,400–1,600 GtC—roughly twice the carbon currently in the atmosphere. As permafrost thaws, microbial decomposition releases CO₂ and methane. This is a positive feedback: warming drives thaw, thaw releases greenhouse gases, which drive further warming. The process is already underway. However, the rate of release is heavily dependent on future emissions trajectories. Lower emissions scenarios substantially reduce the total carbon release over the coming centuries. Permafrost carbon feedback is not a binary, unstoppable runaway process; it is a continuous, trajectory-dependent amplifier of warming. The strength of the amplification is a function of the perturbation magnitude.

4.5 Coupling and Cascade Risk

The individual tipping elements described above do not operate in isolation. They are coupled basins. A perturbation that pushes one across its ridge can propagate through the network, pushing others in turn. This cascade logic is what distinguishes the attractor framework from a list of separate tipping points. The framework's central physical insight is that the climate system's basins are interconnected, and a transition in one alters the boundary conditions—and thus the ridge positions—of its neighbors.

The coupling sequence is structurally clear. Greenland melt injects freshwater into the North Atlantic, reducing surface density and weakening the AMOC. A weakened AMOC shifts tropical rainfall belts southward, drying the Amazon and increasing fire risk. Amazon dieback releases stored carbon into the atmosphere. Permafrost thaw, accelerated by the same warming, releases additional carbon. Each basin exit amplifies the perturbation driving the next. The climate's corrective permeability, once maintained by a web of negative feedbacks, is being progressively replaced by a network of positive couplings that amplify the initial perturbation. This does not imply inevitability. It implies nonlinear risk amplification, in which the probability of cascading transitions increases with continued perturbation. The cascade is not a prediction. It is a structural feature of a coupled nonlinear system. Foundational research on tipping elements first systematically catalogued these components and their interactions over a decade ago (Lenton et al., 2008); subsequent observational and modeling work has strengthened the case that the coupling is real.

5. Social Attractors: Denial, Doom, and Techno-Utopia

The public debate surrounding climate change is itself a dynamical system of competing attractor basins. Three common configurations exhibit low corrective permeability (κ). In each case, the diagnosis applies not to the *content* of the belief but to its *impermeability to disconfirming evidence*. A high- κ individual may hold any of the positions described below, provided that position is genuinely falsifiable and updated when evidence shifts.

5.1 The Denial Attractor

The denial attractor reframes evidence of anthropogenic warming as natural variability, scientific fraud, or politically motivated exaggeration. Disconfirming data—temperature records, ice core analyses, model projections—are dismissed or attributed to conspiratorial motives. The dopamine reward is social: the denier occupies the role of truth-teller bravely resisting a corrupt consensus. The self-reinforcing loop is tribal belonging: each act of dismissal earns approval from the in-group, deepening the basin. Corrective permeability is near zero.

5.2 The Doom Attractor

The doom attractor asserts that tipping points have already been crossed, that warming is now unstoppable, and that all mitigation efforts are futile. This position is often defended with scientific references, but it shares with denial a structural consequence: the rationalization of inaction. If nothing can be done, nothing need be done. The dopamine reward is moral certainty: despair presents itself as clarity, and the doomer feels superior to the “naive optimist.” The self-reinforcing loop operates through despair validating itself by dismissing hope as naivete. Any evidence of

progress—falling renewable costs, policy victories, accelerating deployment—is reframed as “too little, too late.” The basin deepens with each dismissed success.

5.3 The Techno-Utopia Attractor

The techno-utopia attractor defers responsibility to hypothetical future technologies—direct air capture, solar radiation management, fusion energy—that are not yet deployed at scale. This position permits continued present consumption without behavioral or political change. The lever is marked “future fix.” The technology may eventually contribute to mitigation, but reliance on it as a substitute for current emissions reductions is a bet on a lever that has not been wired. The self-reinforcing loop operates through continued consumption: each emission-intensive purchase validates the belief that consumption need not change, because a future technology will compensate. The basin deepens with every unreduced carbon footprint.

These three attractors share a functional outcome: they reduce the perceived urgency of emissions reductions. They are not symmetrical in their relationship to evidence—the denial attractor is the furthest from scientific consensus—but they are symmetrical in their dynamical effect. They are low-k basins that resist updating.

6. The Physical–Social Symmetry

There is a structural identity between the climate system’s dynamics and the social dynamics of the climate debate. Both are instances of the same phenomenon: a system whose corrective permeability is being eroded by positive feedbacks that amplify perturbation rather than dampening it.

In the physical climate, the Holocene's negative feedbacks—ocean heat absorption, ice albedo, forest transpiration, silicate weathering—conferred high κ . Those feedbacks are now saturating or reversing. Ice melt reduces albedo, accelerating warming. Forest loss breaks the transpiration cycle, accelerating drying. Permafrost thaw releases carbon, accelerating the perturbation. The system's negative feedbacks are becoming positive ones. The climate is becoming a sealed basin, driven by internal amplification rather than external correction.

In the social climate, the same transition is underway. High- κ cognition—the willingness to update beliefs when evidence shifts—is being replaced by low- κ basins that reinforce themselves through tribal belonging, despair-validating narratives, or consumption-maintaining deferral. These social attractors function as positive feedbacks on the physical perturbation: denial blocks mitigation policy, doom dismisses it as futile, techno-utopia delays it indefinitely. The social system, like the physical one, is developing sealed basins that amplify the perturbation rather than correcting it.

The symmetry is not metaphorical. It is dynamical. A sealed belief system and a tipping climate are the same structural phenomenon—a low- κ attractor driven by positive feedback—operating at different scales. The climate system and the human systems embedded within it are coupled. The physical perturbation drives social basin-sealing; social basin-sealing accelerates the physical perturbation. Corrective permeability is the variable that determines whether this coupling is damped or amplified. At present, both systems are trending toward amplification.

7. Policy as Institutional Corrective Permeability

The attractor framework yields a specific policy principle: any climate strategy must be designed with explicit update mechanisms, because the system is nonlinear, the models carry irreducible uncertainty, and the ridge positions are incompletely known. The question is not only *what to do* but *how to ensure that the strategy corrects as evidence accumulates*.

High- κ climate policy would exhibit the following properties:

- **Adaptive targets.** Emission reduction targets are revised when interim data show deviations from projected pathways. A missed target triggers a stronger response, not a redefinition of the baseline.
- **Technology neutrality with periodic reassessment.** Energy system investments are directed toward the fastest-scaling clean technologies available, with periodic review to incorporate performance data on new options.
- **Feedback-sensitive adaptation.** Adaptation funding (sea walls, drought-resistant agriculture, managed retreat) is allocated based on observed changes in risk, not static projections.
- **Institutionalized error correction.** Policymaking bodies include formal processes for reviewing failed interventions and updating strategy. Truth-telling is built into governance.

Low- κ policy, in contrast, attaches itself to a fixed target, a favored technology, or a politically convenient narrative. When reality diverges, the institution attacks the messenger, rebaselines the accounting, or reframes failure as partial success. The error signal is never allowed to land. The

institution becomes a sealed basin, pressing the lever of its own stated commitments while the physical system moves into a new state.

8. Individual Corrective Permeability: A Methodological Note

The attractor framework holds that macro-scale social attractors are composed of individual cognitive basins. The corrective permeability of a society is, in part, a function of the corrective permeability of its members. This paper does not prescribe personal behavior; it notes an operational question that operationalizes the framework's diagnostic at the individual level:

Would I update my climate beliefs if the evidence shifted decisively?

If the honest answer is no, corrective permeability is approaching zero, and the individual basin is sealed. The content of the belief—whether denial, doom, techno-optimism, or mainstream concern—is irrelevant to this diagnostic. The diagnostic applies to the structure of belief, not its content.

What, then, characterizes high- κ individual cognition in practice? The framework suggests several structural features. High- κ individuals tend to make small, durable belief adjustments rather than dramatic, identity-threatening reversals; the basin deepens through repeated correction, not emotional intensity. They separate their identity from their beliefs, so that updating a belief does not feel like losing a self. They seek out disconfirming evidence rather than avoiding it, treating error signals as information rather than threats. And they maintain a distinction between what they

know and what they merely find plausible, keeping their confidence calibrated to the strength of the evidence. These features are not personality traits. They are practices. They can be cultivated.

9. Conclusion

The Holocene basin, which persisted for 10,000 years through a network of stabilizing negative feedbacks, is now being perturbed at a rate that saturates those feedbacks and activates positive ones. Tipping points are not slopes; they are ridges between basins. The location of those ridges is uncertain, but the dynamics that generate them are structurally well-understood. Uncertainty is not a case for complacency; it is a case for corrective permeability.

The social dynamics of the climate debate—denial, doom, techno-utopianism—are low- κ attractors that reduce the urgency of action. They are structurally identical to the physical dynamics they refuse to confront: sealed basins driven by positive feedback. The policy response must be designed with explicit update mechanisms, because the system is nonlinear and the future is incompletely predictable. The principle of corrective permeability applies at every scale: physical, institutional, and individual.

The atmosphere does not negotiate. The ice sheet does not care about ideology. The ocean current does not read manifestos. Physical systems update whether we do or not.

References

Boers, N. (2021). Observation-based early-warning signals for a collapse of the Atlantic Meridional Overturning Circulation. *Nature Climate Change*, 11, 680–685.

Caesar, L., McCarthy, G. D., Thornalley, D. J. R., et al. (2021). Current Atlantic Meridional Overturning Circulation weakest in last millennium. *Nature Geoscience*, 14, 118–120.

Galida, R. (2026). *Persistence Under Perturbation: The Eternal Skeleton and the Transient Dance*. Fantasy Attractor. <https://fantasyattractor.com>

Galida, R. (2026). *Attractor Dynamics in Belief Formation, Correction, and Mental Health*. Fantasy Attractor. <https://fantasyattractor.com>

Global Tipping Points Report. (2023). *Section 1: Earth System Tipping Points*. University of Exeter.

Lenton, T. M., Held, H., Kriegler, E., et al. (2008). Tipping elements in the Earth's climate system. *Proceedings of the National Academy of Sciences*, 105(6), 1786–1793.

Lenton, T. M., Rockström, J., Gaffney, O., et al. (2019). Climate tipping points – too risky to bet against. *Nature*, 575, 592–595.

OECD. (2022). *Climate Tipping Points: Insights for Effective Policy Action*. OECD Publishing.

Staal, A., Fetzer, I., Wang-Erlandsson, L., et al. (2020). Hysteresis of tropical forests in the 21st century. *Nature Communications*, 11, 4978.

World Economic Forum. (2022). *Climate change: What are the climate tipping points?*

Suggested Citation

Galida, R. (2026). *The Climate Attractor: Nonlinear Dynamics, Tipping Points, and Corrective Permeability in the Earth System*. Independent research preprint. Available at: <https://fantasyattractor.com>